QLD VESTIBULAR +

COCHLEAR CLINIC

AUDIOLOGY SPECIALIST

DIZZINESS QUESTIONNAIRE 1/5

Please submit this questionnaire prior to your appointment

Patient's Details:					
Name:	DOB:				
Address:	Phone/Mobile:				
	Gender: Eremale Male				
The following questions refer to your feeling of dizziness.	Please describe in your own words the off balance/vertigo/ dizzy symptom sensation you experienced THEN without usingthe word "dizzy". If there are more than one distinct type				
Please fill in all the blanks.	of sensation please describe both:				
Please describe in your own words the off balance/vertigo/ dizzy symptom sensation you CURRENTLY feel without using the word "dizzy". If there are more than one distinct type of sensation please describe both:					
	Please describe how long the symptoms lasted for and if symptoms changed:				
Please describe if any significant events which led up to the CURRENT off balance/vertigo/dizzy symptom sensation you feel (eg cold or flu symptoms, flight, head trauma):	Do you ever have any of the following sensations? Select only those that apply.				
	Spinning in circles				
	Falling to one side				
	World spinning around you				
If you have had vertigo/dizziness prior to current symptoms please describe if any significant events which led up to THE VERY FIRST initial off balance/vertigo/dizzy symptom sensation ever experienced, even if was years ago (eg cold or flu symptoms, flight, head trauma):					

To contact us:

Phone 07 4410 9490: Email: contact@qvcc.com.au Web: www.qvcc.com.au AUDIOLOGY SPECIALIST

Please submit this questionnaire prior to your appointment

The following questions refer to typical dizzy spells. Select only those that apply and answer as appropriate.	 Do you have a loss of balance when walking in the light? If so veering to the right or left?			
Do your dizzy spells come in attacks?	Do you get dizzy when you cough, sneeze, blow nose, bowel movement or other?			
How often?				
How long do/did the attacks last for? Seconds/ minutes/ hours/days/weeks/months/constant: If more than one type of dizziness describe both:	If so which?Are your symptoms exacerbated o r initiated when in upright posture eg. standing or sitting?			
 Date of first spell/attack?	Are your symptoms exacerbated or initiated when in motion eg. walking, driving, flying etc?			
Are you currently feeling dizzy?				
Are you free from dizziness between attacks?				
Are you dizzy or unsteady constantly?	Are your symptoms exacerbated or initiated when not in motion but visual stimuli gives impression of moving			
Do you get any warning the dizziness is about to start?	(eg. sitting in car and cars beside you move giving sensation of movement)?			
What are the warning signs?				
Are you dizzy at certain times of the day or night?	Are your symptoms exacerbated or initiated with			
If so which?	seeing moving objects or complex visua with seeing			
Did you take any medications (inc strong antibiotics, more than one type of dizziness describe both:	moving objects or complex visual images, patterned carpets, clothes or pictures)?			
If yes what were they?				
	Any other comments about your dizziness you feel is pertinent?			
Did you have any cold or flu like symptoms prior to onset?				
Does your hearing change with an attack?				
Do you only get dizzy when you move?				
Are you dizzy mainly when you sit or stand up quickly?				
Are you dizzy when you look up, down or bend forward or backwards?				
If so which?				
Are you dizzy if you roll over in bed?				
If so in the right or left side?				
Are you dizzier in certain positions?				
Which position?				
Are you nauseated during an attack?				
Are you dizzy even when lying down?				
Does closing your eyes make your dizziness worse?				
Are you better if you sit or lie perfectly still?				
Have you had a recent cold or flu preceding recent dizz spells?				
Have you had fullness, pressure, or ringing in your ears?				
Have you had pain or discharge in your ear of recent onset?				
Do you have a loss of balance when walking in dark?				
If so veering to the right or left?				

AUDIOLOGY SPECIALIST

Please submit this questionnaire prior to your appointment

The following refer to other sensations you may have. Select only those that apply and answer as appropriate.

	Do	you	black	out	or	faint	when	dizzy?	

Have you had:

- Severe or recurrent headaches or migraines?
- Light and/or sound sensitivity leading up to or during your headaches or dizziness/vertigo?
- Visual Auras (eg. lines, spots, squiggles) leading up to or during your headaches or dizziness/vertigo?
- Any double or blurry vision?
- Numbness in your face, ears or extremities? If so both sides, left or right? ______
- Weakness or clumsiness in arms, legs?
- Pain in the neck or shoulders?
- Slurred or difficult speech?
- Difficulty swallowing?
- □ Tingling around your mouth?
- Spots before your eyes?
- Jerking of arms or legs?
- Seizures?
- Confusion or memory loss?
- Recent head trauma? (If yes, please explain).

Any other sensation variables you feel are pertinent to your condition?

The following refers to your hearing. Select only those that apply and indicate which side has been affected:

- Difficulty hearing in one ear?
 - 🗌 Left 🗌 Right 🗌 Both
- Ringing or buzzing in one ear?
 Left Right Both
- Fullness in one ear?
 - 🗌 Left 🔄 Right 🗌 Both
- Change in hearing and tinnitus volume when dizzy?
- Does your hearing fluctuate?
- Can you hear your heartbeat, eyes blinking, or any other internal sounds? Which sound and which ears?
 - 🗌 Left 🗌 Right 🗌 Both
- Own voice excessively loud?
 - Left Right Both

Any other variables to do with your hearing you feel are pertinent?:

Have you had any of the following?

- Pain in ears?
- 🗌 Left 🗌 Right 🗌 Both
- Discharge from ears?
- 🗌 Left 🔄 Right 🗌 Both
- Hearing change for the better?
- 🗌 Left 🗌 Right 🗌 Both
- Hearing change for the worse?
 Left Right Both
- Exposure to loud noises?
- Previous ear infections?
- Trauma to your ear(s)?
- Previous ear surgery?
- What?_____

□ Family history of deafness?

AUDIOLOGY SPECIALIST

Please submit this questionnaire prior to your appointment

The following refer to habits and lifestyle.
Select only those that apply and answer
as appropriate.

□ Is there added stress to your life recently?

Changes in weather/atmospheric pressure?
 Do you feel light-headed or have a swimming

Do you find yourself breathing faster or deeper when

Have you ever had weakness or faintness a few hours

Is your dizziness related to any of the following?

sensation when you are dizzy?

Did you recently change eyeglasses?

How much and how often? _____

How much and how often? _____

Is your dizziness related to:

Moments of stress?
Menstrual period?

Overwork or exertion?

Emotional upset?

excited or dizzy?

after eating?

Do you drink coffee?

Do you drink tea?

Hunger?

Past medical history

Please list your current medical problems and length of illness:

Please list all surgery performed and approximate dates:

Please list all allergies (including drugs) and reaction:

Please list all medicines you currently take for your dizziness that HAVE provided some relief or benefit with your symptoms:

_ _

- Do you drink soft drinks?

How much and how often? ____

Do you smoke?

What? _____

How much and how often? ____

Describe any other variables you feel may contribute to your dizziness:

Please list all medicines you currently take for your dizziness that HAVE NOT provided some relief or benefit for you:

Please list all medicines you currently take (including pain medicine, nonprescription medicine, nerve pills, sleeping pills, or birth control pills).

Have you had any previous testing eg hearing, x-rays, head scans, etc?

COCHLEAR CLINIC

AUDIOLOGY SPECIALIST

Please submit this questionnaire prior to your appointment

Family history

Any family history of any of the following? Select all that apply.

- Migraine?
- Off balance/vertigo/dizziness or tinnitus?
- High blood pressure?
- Low blood pressure?
- Diabetes?
- Low blood sugar?
- Thyroid disease?
- Asthma?
- Multiple Sclerosis?

Please list any other diseases that run in your immediate family:

Declaration

I confirm that for my appointment I will:

- Not wear make-up
- □ Not eat anything for 8 hours prior
- Have no caffeine for 12 hours prior
- Have no alcohol for 48 hours prior
- Have no nicotine (cigarettes, gum, patches etc) for 12 hours prior
- Not take tranquilisers, sedatives, vestibular suppressants (eg Stemetil, Serc) and painkillers for 24 hours prior
- All information on this form is true and accurate and I consent to the use of any data/results to be used anonymously for research purposes

Any other comments you feel are pertinent to your condition:

Signature

Submit via email

Please complete and sign this questionnaire and submit to Email: contact@qvcc.com.au

If the submit button doesn't work please save this PDF and send it to contact@qvcc.com.au